



TRUCK DATA



SURVEY SHEET



NOTE: SHOW ANY OBSTRUCTION ON EITHER SIDE OF DOOR.

IMPORTANT

FILL OUT COMPLETELY (IF NONE WRITE NONE)


- "A" DIMENSION _____ "G" DIMENSION _____
- "B" DIMENSION _____ "H" DIMENSION _____
- "C" DIMENSION _____ "I" DIMENSION _____
- "D" TRUCK WIDTH _____ "J" DOOR WIDTH _____
- "E" TRUCK HEIGHT _____ "K" DOOR HEIGHT _____
- "F" DOCK HEIGHT _____ "L" DIMENSION _____

NUMBER OF DOORS _____
 TYPE OF BUILDING _____
 TYPE OF JAMBS _____
 IS APPROACH DRIVE LEVEL _____

IMPORTANT NOTE: IF DRIVE IS NOT LEVEL FILL IN BELOW
 RISE _____ LENGTH OF DRIVE _____ DOOR HEIGHT _____

NOTE: IF THE APPROACH DRIVE DECLINES AT A SUBSTANTIAL DEGREE IT WILL BE NECESSARY TO BUILD OUT BUMPER PROTECTION TO REDUCE THE CHANCE OF OVERCOMPRESSING FOAM SEAL HEAD PAD.

DRIVE DATA



FORMULA: (CONVERT ALL DIMENSIONS TO INCHES)

$$\frac{\text{RISE}}{\text{LENGTH OF DRIVE}} \times (\text{DOOR HEIGHT} + 12") = \text{DIFFERENCE BETWEEN THE TOP AND BOTTOM OF THE SIDE PAD}$$

THE AMOUNT OF COMPRESSION

EXAMPLE: RISE = 2'-0"
 LENGTH OF DRIVE = 60'-0"
 DOOR HEIGHT = 8'-0"

$$\frac{24"}{720"} \times (96" + 12") = X$$

.0333 x 108" = 3.596

SUBMITTED AND APPROVED BY:

Fairborn[®]
 FAIRBORN USA INC.

P.O. BOX 151 • 205 BROADVIEW STREET
 UPPER SANDUSKY, OHIO 43351
 800-262-1188 • 419-294-4987 • FAX: 419-294-4980
 VISIT US AT... WWW.FAIRBORNUA.COM

JOB: _____
 LOCATION: _____
 CONTRACTOR: _____ ARCHITECT: _____
 APPROVED BY SIGNATURE: _____